

İnsan Asansörleri • Passenger Elevators

Sınıf I-II • Class I-II

			KONUTLAR / RESIDENTIAL				İŞYERLERİ / COMMERCIAL					
KAPASİTE / CAPACITY			KG	320	400	630	1000	630	800	1000	1250	1600
ANMA YÜKÜ / LOAD			KİŞİ / PERSON	4	5	6	13	8	10	13	16	21
KABİN ALANI / CABIN AREA			MIN.	0.79	0.98	1.45	2.15	1.45	1.73	2.15	2.57	3.24
			MAX.	0.95	1.17	1.66	2.40	1.66	2.00	2.40	2.90	3.56
KABİN EBATLARI / CABIN DIMENSIONS	GENİŞLİK / WIDTH	B1	MM	900	1100	1100	1100	1100	1350	1600	1950	1950
	DERİNLİK / DEPTH	D1	MM	1000	1000	1400	2100	1400	1400	1400	1400	1750
	YÜKSEKLİK / HEIGHT		MM	2200	2200	2200	2200	2200	2200	2300	2300	2300
DURAK KAPILARI / FLOOR DOORS	GENİŞLİK / WIDTH	B2	MM	700	800	800	800	800	800	1100	1100	1100
	YÜKSEKLİK / HEIGHT	H3	MM	2000	2000	2000	2000	2000	2000	2100	2100	2100
KUYU EBATLARI / SHAFT DIMENSIONS	DERİNLİK / DEPTH	B3	MM	1400	1600	1600	1600	-	-	-	-	-
	DERİNLİK / DEPTH	B3	MM	-	1800	1800	1800	1800	1900	2400	2600	2600
	DERİNLİK / DEPTH	D2	MM	1600	1600	1900	2600	2100	2300	2300	2300	2600
KUYU DİBİ DERİNLİĞİ / PIT DEPTH	VN = 0.63 M/S	D3	MM	1400	1400	1400	1400	1400	1400	1400	1600	1600
	VN = 1.00 M/S	D3	MM	1400	1400	1400	1400	1400	1400	1400	1600	1600
	VN = 1.60 M/S	D3	MM	-	1600	1600	1600	1600	1600	1600	1600	1600
	VN = 2.50 M/S	D3	MM	-	-	2200	2200	-	2200	2200	2200	2200
EN ÜST DURAK SEVİYESİ ÜSTÜNDEKİ YÜKSEKLİK / HEADROOM	VN = 0.63 M/S	H1	MM	3600	3600	3600	3600	3800	3800	4200	4400	4400
	VN = 1.00 M/S	H1	MM	3700	3700	3700	3700	3800	3800	4200	4400	4400
	VN = 1.60 M/S	H1	MM	3800	3800	3800	3800	4000	4000	4200	4400	4400
	VN = 2.50 M/S	H1	MM	-	-	5000	5000	-	5000	5200	5400	5400
MAKİNE DAİRESİ ALANI / MACHINE ROOM AREA	VN = 0.63 M/S	A	M2	6	7.5	10	12	15	15	20	22	25
	VN = 1.00 M/S			6	7.5	10	12	15	15	20	22	25
	VN = 1.60 M/S			-	10	12	14	15	15	20	22	25
	VN = 2.50 M/S			-	-	14	16	-	18	20	22	25
MAKİNE DAİRESİ GENİŞLİĞİ / MACHINE ROOM WIDTH	VN = 0.63 M/S	H1	MM	1600	2200	2200	2400	2500	2500	3200	3200	3200
	VN = 1.00 M/S			1600	2200	2200	2400	2500	2500	3200	3200	3200
	VN = 1.60 M/S			-	2200	2200	2400	2500	2500	3200	3200	3200
	VN = 2.50 M/S			-	-	2800	2800	-	2800	3200	3200	3200
MAKİNE DAİRESİ DERİNLİĞİ / MACHINE ROOM DEPTH	VN = 0.63 M/S	D4	MM	3000	3200	3700	4200	3700	3700	4900	4900	5500
	VN = 1.00 M/S			3000	3200	3700	4200	3700	3700	4900	4900	5500
	VN = 1.60 M/S			-	3200	3700	4200	3700	3700	4900	4900	5500
	VN = 2.50 M/S			-	-	3700	4200	-	3700	4900	4900	5500
MAKİNE DAİRESİ YÜKSEKLİĞİ / MACHINE ROOM HEIGHT	VN = 0.63 M/S	H2	MM	2000	2000	2000	2000	2200	2200	2400	2400	2800
	VN = 1.00 M/S			2000	2000	2000	2000	2200	2200	2400	2400	2800
	VN = 1.60 M/S			-	2200	2200	2200	2200	2200	2400	2400	2800
	VN = 2.50 M/S			-	-	2600	2600	-	2800	2800	2800	2800

Hasta Asansörleri • Patient Elevators

Sınıf III • Class III

KAPASİTE / CAPACITY			KG	1600	2000	2500
KABİN ALANI / CABIN AREA			MIN.	3.24	3.82	4.62
			MAX.	3.56	4.20	5.00
KABİN EBATLARI / CABIN DIMENSIONS	GENİŞLİK / WIDTH	B1	MM	1400	1500	1800
	DERİNLİK / DEPTH	D1	MM	2400	2700	2700
	YÜKSEKLİK / HEIGHT		MM	2300	2300	2300
DURAK KAPILARI / FLOOR DOORS	GENİŞLİK / WIDTH	B2	MM	1300	1300	1300+
	YÜKSEKLİK / HEIGHT	H3	MM	2100	2100	2100
KUYU EBATLARI / SHAFT DIMENSIONS	GENİŞLİK / WIDTH	B3	MM	2400	2400	2700
	DERİNLİK / DEPTH	D2	MM	3000	3300	3300
KUYU DİBİ DERİNLİĞİ / PIT DEPTH	VN = 0.63 M/S	D3	MM	1600	1600	1800
	VN = 1.00 M/S	D3	MM	1700	1700	1900
	VN = 1.60 M/S	D3	MM	1900	1900	2100
	VN = 2.50 M/S	D3	MM	2500	2500	2500
EN ÜST DURAK SEVİYESİ ÜSTÜNDEKİ YÜKSEKLİK / HEADROOM	VN = 0.63 M/S	H1	MM	4400	4400	4600
	VN = 1.00 M/S	H1	MM	4400	4400	4600
	VN = 1.60 M/S	H1	MM	4400	4400	4600
	VN = 2.50 M/S	H1	MM	5400	5400	5600
MAKİNE DAİRESİ / MACHINE ROOM	ALAN / AREA	A	M2	25	27	29
	GENİŞLİK / WIDTH	B4	MM	3200	3200	3500
	DERİNLİK / DEPTH	D4	MM	5500	5800	5800
	YÜKSEKLİK / HEIGHT	H2	MM	2800	2800	2800

Yük Asansörleri • Goods Elevators

Sınıf IV • Class IV

KAPASİTE / CAPACITY			KG	630	1000	1600	2000
KABİN EBATLARI / CABIN DIMENSIONS	GENİŞLİK / WIDTH	B1	MM	1100	1300	1500	1500
	DERİNLİK / DEPTH	D1	MM	1400	1750	2250	2700
	YÜKSEKLİK / HEIGHT		MM	2200	2200	2200	2200
DURAK KAPILARI / FLOOR DOORS	GENİŞLİK / WIDTH	B2	MM	1100	1300	1500	1500
	YÜKSEKLİK / HEIGHT	H3	MM	2100	2100	2100	2100
KUYU EBATLARI / SHAFT DIMENSIONS	GENİŞLİK / WIDTH	B3	MM	2100	2400	2700	2700
	DERİNLİK / DEPTH	D2	MM	1900	2300	2800	3200
KUYU DİBİ DERİNLİĞİ / PIT DEPTH	V < 1.00 M/S	D3	MM	1500	1500	1700	1700
EN ÜST DURAK SEVİYESİ ÜSTÜNDEKİ YÜKSEKLİK / HEADROOM	V < 1.00 M/S	H1	MM	4100	4100	4300	4300
MAKİNE DAİRESİ / MACHINE ROOM	ALAN / AREA	A	M2	12	14	18	20
	GENİŞLİK / WIDTH	B4	MM	2800	3100	3400	3400
	DERİNLİK / DEPTH	D4	MM	3500	3800	4500	4900
	YÜKSEKLİK / HEIGHT	H2	MM	2200	2200	2400	2400

Servis Asansörleri • Service Elevators

Sınıf V • Class V

KAPASİTE / CAPACITY			KG	40	100	250
KABİN EBATLARI / CABIN DIMENSIONS	GENİŞLİK / WIDTH	B1	MM	600	800	1000
	DERİNLİK / DEPTH	D1	MM	600	850	1000
	YÜKSEKLİK / HEIGHT		MM	800	800	1200
KUYU EBATLARI / SHAFT DIMENSIONS	GENİŞLİK / WIDTH	B3	MM	900	1100	1500
	DERİNLİK / DEPTH	D2	MM	800	1000	1200